

SAFETY DATA SHEET

LIQUID FURNITURE POLISH CLP

Page: 1

Compilation date: 24/06/2014

Revision date: 18/04/2016

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: LIQUID FURNITURE POLISH CLP

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: R & D PRODUCTS

3 & 4 VICTORIA MILLS

WESTGATE

CLECKHEATON

WEST YORKSHIRE

BD19 5DR

UNITED KINGDOM

Tel: 01274 851516

Fax: 01274 851516

Email: admin@rd-products.co.uk

1.4. Emergency telephone number

Emergency tel: 07921885509

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; -: EUH208

Most important adverse effects: Contains chloromethylisothiazolone. May produce an allergic reaction. Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains chloromethylisothiazolone. May produce an allergic reaction.

H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

[cont...]

SAFETY DATA SHEET
LIQUID FURNITURE POLISH CLP

Page: 2

2.3. Other hazards

Other hazards: IF the product is spilled it may pose a slip risk.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

RM PROPAN-2-OL CLP - REACH registered number(s): 01-21199457558-25

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	10-30%

RM SI 60 CLP

-	-	-	Eye Dam. 1: H318; -: EUH208	1-10%
---	---	---	-----------------------------	-------

FRA POLISH PC95 CLP

-	-	-	Flam. Liq. 3: H226; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1: H317; Skin Irrit. 2: H315	<1%
---	---	---	--	-----

RM CHLOROMETHYLISOTHIAZOLONE CLP

-	-	-	Skin Corr. 1B: H314; Acute Tox. 4: H302; Acute Tox. 4: H312; Acute Tox. 4: H332; Skin Sens. 1: H317; Aquatic Chronic 2: H411	<1%
---	---	---	---	-----

Contains: Alcohol
silicon oil

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes in contact with skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Seek medical advice if irritation persists

Ingestion: Wash out mouth with water. Do not induce vomiting. If patient feels unwell seek medical attention

Inhalation: Not a problem in normal use. If irritation is experienced, mouth and throat may be rinsed with water.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

[cont...]

SAFETY DATA SHEET
LIQUID FURNITURE POLISH CLP

Page: 3

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into rain water drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Original packaging

[cont...]

SAFETY DATA SHEET
LIQUID FURNITURE POLISH CLP

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

RM PROPAN-2-OL CLP

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

DNEL/PNEC Values

Hazardous ingredients:

RM PROPAN-2-OL CLP

Type	Exposure	Value	Population	Effect
DNEL	Dermal	888mg/kg/day	Workers	Systemic
DNEL	Inhalation	500 mg/m3	Workers	Systemic
DNEL	Dermal	319 mg/kg/day	Consumers	Systemic
DNEL	Inhalation	89 mg/m3	Consumers	Systemic
DNEL	Oral	26 mg/kg/day	Consumers	Systemic

RM SI 60 CLP

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	111	Consumers	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Non required in well ventilated areas

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: White

Odour: Characteristic odour

Solubility in water: Miscible in all proportions

[cont...]

SAFETY DATA SHEET
LIQUID FURNITURE POLISH CLP

Page: 5

Viscosity: Non-viscous

pH: 6-8

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Hot surfaces.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

RM PROPAN-2-OL CLP

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

RM SI 60 CLP

ORAL	MUS	LD50	1150	mg/kg
ORAL	RAT	LD50	1020	mg/kg

[cont...]

SAFETY DATA SHEET
LIQUID FURNITURE POLISH CLP

Page: 6

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

RM SI 60 CLP

ALGAE	72H ErC50	>10-100	mg/l
Daphnia magna	48H EC50	>10-100	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Rinse out empty containers at least twice with water and recycle if facilities exist or dispose of as commercial waste.

[cont...]

SAFETY DATA SHEET
LIQUID FURNITURE POLISH CLP

Page: 7

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.